

J E S 2 J O B L O G

23.53.30 JOB 862 \$HASP373 SUPERLST STARTED - INIT 3 - CLASS S - SYS HMVS
23.53.30 JOB 862 IEF403I SUPERLST - STARTED - TIME=23.53.30
23.53.30 JOB 862 IEFACTRT STEP1 /SUPERLST/00:00:00.00/00:00:00.01/00000/SUPERLST
23.53.30 JOB 862 IEF404I SUPERLST - ENDED - TIME=23.53.30
23.53.30 JOB 862 \$HASP395 SUPERLST ENDED

----- JES2 JOB STATISTICS -----

08 FEB 25 JOB EXECUTION DATE

33 CARDS READ

94 SYSOUT PRINT RECORDS

0 SYSOUT PUNCH RECORDS

0.00 MINUTES EXECUTION TIME

1	//SUPERLST JOB (0001),SUPERLST,CLASS=S,MSGCLASS=X	JOB 862
	***	00000200
	*** JCL to run SUPERLST - VTOC lister and disk space map utility	00000300
	***	00000400
	***	00000500
	*** The program processes the (first) volume allocated to any	00000600
	*** DDname which starts with the string 'VOL'.	00000700
	***	00000800
	***	00000900
	*** Program parameter can contain the following words which	00001000
	*** must be separated by commas if more than one is present:	00001100
	***	00001200
	*** MAP - specifies that after the data set name and attribute	00001300
	*** list (in collating sequence order) a volume space	00001400
	*** map is to be produced. This map may be produced	00001500
	*** even without this parameter if the "DOS" bit is on	00001600
	*** in the VTOC.	00001700
	***	00001800
	*** DUMP - specifies that the report is to also include a hex	00001900
	*** dump of each VTOC entry.	00002000
	***	00002100
	*** PDS - specifies that the directories of all PDSes found on	00002200
	*** the volume are to be opened and read. The reference	00002300
	*** date of the PDSes on "modern" systems (OS/390 1.3 or	00002400
	*** later, perhaps?) is not updated. Statistics such as	00002500
	*** member and directory block counts are reported. If	00002600
	*** DUMP was also specified then the contents of the	00002700
	*** directories are also dumped.	00002800
	***	00002900
	***	00003000
2	//STEP1 EXEC PGM=SUPERLST,REGION=2048K,PARM=MAP	00003100
3	//SYSPRINT DD SYSOUT=*	00003200
4	//VOLUME1 DD DISP=SHR,UNIT=SYSALLDA,VOL=SER=TEST00	00003312

```

IEF236I ALLOC. FOR SUPERLST STEP1
IEF237I JES2 ALLOCATED TO SYSPRINT
IEF237I 291 ALLOCATED TO VOLUME1
IEF142I SUPERLST STEP1 - STEP WAS EXECUTED - COND CODE 0000
IEF285I JES2.JOB00862.S00101 SYSOUT
IEF285I ||||| KEPT *-----5
IEF285I VOL SER NOS= TEST00.
IEF373I STEP /STEP1 / START 25039.2353
IEF374I STEP /STEP1 / STOP 25039.2353 CPU 0MIN 00.00SEC SRB 0MIN 00.00SEC VIRT 36K SYS 188K
**** JOB NAME: SUPERLST JOBCARD READ 2025/039 23:53:30 370/148 VS2 R03.8 HMVS *****
*
* STEP NUMBER: 1 USER CORE: 36K START TIME: 23:53:30 CPU TIME: 00:00:00.00 ACTIVE TIME: 00:00:00.01 *
* STEP NAME: STEP1 SYSTEM CORE: 188K STOP TIME: 23:53:30 SRB TIME: 00:00:00.00 ALLOC TIME: 23:53:30 *
* PROGRAM NAME: SUPERLST REGION SIZE: 2048K ELAPSED TIME: 00:00:00.01 TCB TIME: 00:00:00.00 PROGRAM LOAD: 23:53:30 *
* CONDITION CODE: 00000 PERFORMANCE GROUP: 003 *
* JES2 CARDS: 0 SERVICE UNITS PAGES IN/OUT # SWAPS PAGES SWAP IN/OUT VIO PAGES IN/OUT *
* 46 0 / 0 0 0 / 0 0 / 0 *
*
* ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT *
* 291/D3390 5 *
*****
IEF375I JOB /SUPERLST/ START 25039.2353
IEF376I JOB /SUPERLST/ STOP 25039.2353 CPU 0MIN 00.00SEC SRB 0MIN 00.00SEC

```

VERSION 1.9, 3RD MAY, 2002

EXEC PARAMETER FIELD: MAP

FIRST TRK	LAST TRK	#TRACKS	EXT	DATA SET NAME OR USAGE
0000.0000	0000.0000	1		VOLUME LABEL
0000.0001	0000.0005	5	1	VOLUME TABLE OF CONTENTS
0000.0006	0886.000E	32739	1	JAY01.TEST.BIG3390
		32745		TRACKS ACCOUNTED FOR
				<<<<< END OF TRACK MAP >>>>>