

J E S 2 J O B L O G

15.48.31 JOB 1621 IEF677I WARNING MESSAGE(S) FOR JOB PS3375 ISSUED
15.48.31 JOB 1621 \$HASP373 PS3375 STARTED - INIT 1 - CLASS A - SYS HMVS
15.48.31 JOB 1621 IEF403I PS3375 - STARTED - TIME=15.48.31
15.48.31 JOB 1621 IEC130I SYSPUNCH DD STATEMENT MISSING
15.48.31 JOB 1621 IEC130I SYSLIB DD STATEMENT MISSING
15.48.31 JOB 1621 IEC130I SYSPUNCH DD STATEMENT MISSING
15.48.31 JOB 1621 IEFACTRT COB /IKFCBL00/00:00:00.04/00:00:00.08/00000/PS3375
15.48.31 JOB 1621 IEFACTRT LKED /IEWL /00:00:00.01/00:00:00.03/00000/PS3375
15.48.43 JOB 1621 IEFACTRT GO /PGM=*.DD/00:00:10.83/00:00:11.23/00000/PS3375
15.48.54 JOB 1621 IEFACTRT IDCAMS /IDCAMS /00:00:11.27/00:00:11.48/00000/PS3375
15.48.54 JOB 1621 IEF404I PS3375 - ENDED - TIME=15.48.54
15.48.54 JOB 1621 \$HASP395 PS3375 ENDED

----- JES2 JOB STATISTICS -----

20 FEB 25 JOB EXECUTION DATE

18 CARDS READ

486 SYSOUT PRINT RECORDS

0 SYSOUT PUNCH RECORDS

0.38 MINUTES EXECUTION TIME

1	//PS3375 JOB (001), 'TEST 3375', CLASS=A, MSGCLASS=X,	JOB 1621
	// NOTIFY=JAY01	IKJEFF10
2	// EXEC COBUCLG	
3	XXCOBUCLG PROC CPARM1='LOAD,SUPMAP',	100010000
	XX CPARM2='SIZE=2048K,BUF=1024K',	100020000
	XX LKEDPGM='IEWL'	00020100
4	XXCOB EXEC PGM=IKFCBL00,REGION=4096K,	00040001
	XX PARM='&CPARM1,&CPARM2'	00050001
5	XXSTEPLIB DD DSN=SYSC.LINKLIB,DISP=SHR	00051001
6	XXSYSPRINT DD SYSOUT=*	00060000
7	XXSYSUT1 DD UNIT=SYSDA,SPACE=(460,(700,100))	00070000
8	XXSYSUT2 DD UNIT=SYSDA,SPACE=(460,(700,100))	00080000
9	XXSYSUT3 DD UNIT=SYSDA,SPACE=(460,(700,100))	00090000
10	XXSYSUT4 DD UNIT=SYSDA,SPACE=(460,(700,100))	00100000
11	XXSYSLIN DD DSN=&LOADSET,DISP=(MOD,PASS),UNIT=SYSDA,	00110000
	XX SPACE=(80,(500,100))	00120000
12	//COB.SYSIN DD DISP=SHR,DSN=JAY01.BIGDASD.TEST.SOURCE(F01C)	
13	XXLKED EXEC PGM=&LKEDPGM,	100130000
	XX PARM='LIST,XREF,LET',COND=(5,LT,COB),REGION=96K	00130100
14	XXSYSLIN DD DSN=&LOADSET,DISP=(OLD,DELETE)	00140000
15	XX DD DDNAME=SYSIN	00150000
16	XXSYSLMOD DD DSN=&GODATA(RUN),DISP=(NEW,PASS),UNIT=SYSDA,	00160000
	XX SPACE=(1024,(50,20,1))	00170000
17	XXSYSLIB DD DSN=SYSC.COBLIB,DISP=SHR	00180000
18	XXSYSUT1 DD UNIT=SYSDA,SPACE=(1024,(50,20))	00190000
19	XXSYSPRINT DD SYSOUT=*	00200000
20	XXGO EXEC PGM=*.LKED.SYSLMOD,COND=((5,LT,COB),(5,LT,LKED))	00210000
21	//GO.SYSUT1 DD DSN=JAY01.TEST.PS,DISP=(,KEEP),	
	// UNIT=SYSALLDA,VOL=SER=TEST06,	
	// SPACE=(TRK,(11502)),	
	// DCB=(RECFM=FB,LRECL=80,BLKSIZE=17600)	
22	//GO.SYSOUT DD SYSOUT=*	
23	//GO.SYSUDUMP DD SYSOUT=*	

24	//IDCAMS EXEC PGM=IDCAMS,REGION=1024K	
25	//SYSUT1 DD DISP=SHR,DSN=JAY01.TEST.PS,UNIT=SYSALLDA,VOL=SER=TEST06	
26	//SYSPRINT DD SYSOUT=*	
27	//SYSIN DD *	

STMT NO. MESSAGE

4 IEF653I SUBSTITUTION JCL - PARM='LOAD,SUPMAP,SIZE=2048K,BUF=1024K'
13 IEF653I SUBSTITUTION JCL - PGM=IEWL,
20 IEF686I DDNAME REFERRED TO ON DDNAME KEYWORD IN PRIOR STEP WAS NOT RESOLVED

IEF236I ALLOC. FOR PS3375 COB
IEF237I 253 ALLOCATED TO STEPLIB
IEF237I 253 ALLOCATED TO SYS00041
IEF237I JES2 ALLOCATED TO SYSPRINT
IEF237I 390 ALLOCATED TO SYSUT1
IEF237I 252 ALLOCATED TO SYSUT2
IEF237I 251 ALLOCATED TO SYSUT3
IEF237I 281 ALLOCATED TO SYSUT4
IEF237I 280 ALLOCATED TO SYSLIN
IEF237I 280 ALLOCATED TO SYSIN
IEF237I 180 ALLOCATED TO SYS00043

IEC130I SYSPUNCH DD STATEMENT MISSING
IEC130I SYSLIB DD STATEMENT MISSING
IEC130I SYSPUNCH DD STATEMENT MISSING

IEF142I PS3375 COB - STEP WAS EXECUTED - COND CODE 0000

IEF285I SYSC.LINKLIB KEPT *-----0
IEF285I VOL SER NOS= SYSCP. KEPT *-----0
IEF285I UCSYSCPK KEPT *-----0
IEF285I VOL SER NOS= SYSCP. SYOUT
IEF285I SYS25051.T154831.RA000.PS3375.R0000001 DELETED *-----6
IEF285I VOL SER NOS= WORK03. DELETED *-----6
IEF285I SYS25051.T154831.RA000.PS3375.R0000002 DELETED *-----6
IEF285I VOL SER NOS= WORK01. DELETED *-----9
IEF285I SYS25051.T154831.RA000.PS3375.R0000003 DELETED *-----9
IEF285I VOL SER NOS= WORK00. DELETED *-----3
IEF285I SYS25051.T154831.RA000.PS3375.R0000004 DELETED *-----3
IEF285I VOL SER NOS= MVS381. PASSED *-----91
IEF285I SYS25051.T154831.RA000.PS3375.LOADSET PASSED *-----91
IEF285I VOL SER NOS= MVS380. KEPT *-----2
IEF285I JAY01.BIGDASD.TEST.SOURCE KEPT *-----2
IEF285I VOL SER NOS= MVS380. KEPT *-----0
IEF285I UCPUB000 KEPT *-----0
IEF285I VOL SER NOS= PUB000.

IEF373I STEP /COB / START 25051.1548

IEF374I STEP /COB / STOP 25051.1548 CPU 0MIN 00.03SEC SRB 0MIN 00.01SEC VIRT 2076K SYS 220K

**** JOB NAME: PS3375 JOBCARD READ 2025/051 15:48:31 370/148 VS2 R03.8 HMVS *****

*
* STEP NUMBER: 1 USER CORE: 2076K START TIME: 15:48:31 CPU TIME: 00:00:00.04 ACTIVE TIME: 00:00:00.05 *
* STEP NAME: COB SYSTEM CORE: 220K STOP TIME: 15:48:31 SRB TIME: 00:00:00.01 ALLOC TIME: 15:48:31 *
* PROGRAM NAME: IKFCBL00 REGION SIZE: 4096K ELAPSED TIME: 00:00:00.08 TCB TIME: 00:00:00.03 PROGRAM LOAD: 15:48:31 *
* CONDITION CODE: 00000 PERFORMANCE GROUP: 004 *
* JES2 CARDS: 0 SERVICE UNITS PAGES IN/OUT # SWAPS PAGES SWAP IN/OUT VIO PAGES IN/OUT *
* 629 0 / 0 0 0 / 0 0 / 0 *
*
* ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT *
* 253/D3350 0 253/D3350 0 390/D3390 6 252/D3350 6 251/D3350 9 281/D3380 3 *
* 280/D3380 91 280/D3380 2 180/D3380 0 *

IEF236I ALLOC. FOR PS3375 LKED
IEF237I 280 ALLOCATED TO SYSLIN
IEF237I DMY ALLOCATED TO
IEF237I 390 ALLOCATED TO SYSLMOD
IEF237I 253 ALLOCATED TO SYSLIB
IEF237I 253 ALLOCATED TO SYS00045
IEF237I 251 ALLOCATED TO SYSUT1

```

IEF237I JES2 ALLOCATED TO SYSPRINT
IEF142I PS3375 LKED - STEP WAS EXECUTED - COND CODE 0000
IEF285I   SYS25051.T154831.RA000.PS3375.LOADSET      DELETED      *-----92
IEF285I   VOL SER NOS= MVS380.
IEF285I   SYS25051.T154831.RA000.PS3375.GODATA      PASSED        *-----10
IEF285I   VOL SER NOS= WORK03.
IEF285I   SYSC.COBLIB                                KEPT          *-----17
IEF285I   VOL SER NOS= SYSCPK.
IEF285I   UCSYSCPK                                    KEPT          *-----0
IEF285I   VOL SER NOS= SYSCPK.
IEF285I   SYS25051.T154831.RA000.PS3375.R0000005    DELETED        *-----0
IEF285I   VOL SER NOS= WORK00.
IEF285I   JES2.JOB01621.SO0103                      SYSOUT
IEF373I STEP /LKED      / START 25051.1548
IEF374I STEP /LKED      / STOP 25051.1548 CPU      0MIN 00.01SEC SRB      0MIN 00.00SEC VIRT      96K SYS      208K
*****
*
* STEP NUMBER:          2  USER CORE:          96K  START TIME:    15:48:31    CPU TIME:      00:00:00.01  ACTIVE TIME:   00:00:00.02 *
* STEP NAME:           LKED    SYSTEM CORE:      208K  STOP TIME:     15:48:31    SRB TIME:      00:00:00.00  ALLOC TIME:    15:48:31 *
* PROGRAM NAME:        IEWL    REGION SIZE:   96K  ELAPSED TIME:  00:00:00.03  TCB TIME:      00:00:00.01  PROGRAM LOAD:  15:48:31 *
* CONDITION CODE:      00000  PERFORMANCE GROUP: 004
* JES2 CARDS:          0          SERVICE UNITS  PAGES IN/OUT  # SWAPS  PAGES SWAP IN/OUT  VIO PAGES IN/OUT *
*                               619      0 /    0          0          0 /    0          0 /    0 *
*
* ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT *
* 280/D3380           92  390/D3390           10  253/D3350           17  253/D3350           0  251/D3350           0 *
*****
IEF236I ALLOC. FOR PS3375 GO
IEF237I 390 ALLOCATED TO PGM=*.DD
IEF237I 171 ALLOCATED TO SYSUT1
IEF237I JES2 ALLOCATED TO SYSOUT
IEF237I JES2 ALLOCATED TO SYSUDUMP
IEF142I PS3375 GO - STEP WAS EXECUTED - COND CODE 0000
IEF285I   SYS25051.T154831.RA000.PS3375.GODATA      KEPT          *-----0
IEF285I   VOL SER NOS= WORK03.
IEF285I   JAY01.TEST.PS                              KEPT          *---46,009
IEF285I   VOL SER NOS= TEST06.
IEF285I   JES2.JOB01621.SO0104                      SYSOUT
IEF285I   JES2.JOB01621.SO0105                      SYSOUT
IEF373I STEP /GO        / START 25051.1548
IEF374I STEP /GO        / STOP 25051.1548 CPU      0MIN 07.46SEC SRB      0MIN 03.37SEC VIRT      104K SYS      216K
*****
*
* STEP NUMBER:          3  USER CORE:          104K  START TIME:    15:48:31    CPU TIME:      00:00:10.83  ACTIVE TIME:   00:00:11.23 *
* STEP NAME:           GO    SYSTEM CORE:      216K  STOP TIME:     15:48:43    SRB TIME:      00:00:03.37  ALLOC TIME:    15:48:31 *
* PROGRAM NAME:        PGM=*.DD  REGION SIZE:   512K  ELAPSED TIME:  00:00:11.23  TCB TIME:      00:00:07.46  PROGRAM LOAD:  15:48:31 *
* CONDITION CODE:      00000  PERFORMANCE GROUP: 004
* JES2 CARDS:          0          SERVICE UNITS  PAGES IN/OUT  # SWAPS  PAGES SWAP IN/OUT  VIO PAGES IN/OUT *
*                               234,261  0 /    0          0          0 /    0          0 /    0 *
*
* ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT *
* 390/D3390           0  171/D3375           46009
*****
IEF236I ALLOC. FOR PS3375 IDCAMS
IEF237I 171 ALLOCATED TO SYSUT1
IEF237I JES2 ALLOCATED TO SYSPRINT
IEF237I JES2 ALLOCATED TO SYSIN
IEF142I PS3375 IDCAMS - STEP WAS EXECUTED - COND CODE 0000
IEF285I   JAY01.TEST.PS                              KEPT          *---23,005
IEF285I   VOL SER NOS= TEST06.
IEF285I   JES2.JOB01621.SO0106                      SYSOUT

```

```

IEF285I  JES2.JOB01621.SI0101                SYSIN
IEF373I  STEP /IDCAMS  / START 25051.1548
IEF374I  STEP /IDCAMS  / STOP  25051.1548 CPU   OMIN 09.45SEC SRB   OMIN 01.82SEC VIRT  280K SYS   220K
*****
*
*  STEP NUMBER:           4  USER CORE:           280K  START TIME:    15:48:43    CPU TIME:      00:00:11.27  ACTIVE TIME:   00:00:11.47 *
*  STEP NAME:           IDCAMS  SYSTEM CORE:       220K  STOP TIME:     15:48:54    SRB TIME:      00:00:01.82  ALLOC TIME:    15:48:43 *
*  PROGRAM NAME:       IDCAMS  REGION SIZE:        1024K  ELAPSED TIME:  00:00:11.48  TCB TIME:      00:00:09.45  PROGRAM LOAD:  15:48:43 *
*  CONDITION CODE:     00000  PERFORMANCE GROUP: 004
*
*  JES2 CARDS:           0          SERVICE UNITS  PAGES IN/OUT  # SWAPS  PAGES SWAP IN/OUT  VIO PAGES IN/OUT *
*                               121,437      0 /    0          0          0 /    0          0 /    0 *
*
*  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT *
*  171/D3375           23005
*****
IEF237I  390  ALLOCATED TO SYS00001
IEF285I  SYS25051.T154854.RA000.PS3375.R0000001      KEPT          *-----0
IEF285I  VOL SER NOS= WORK03.
IEF285I  SYS25051.T154831.RA000.PS3375.GODATA        DELETED
IEF285I  VOL SER NOS= WORK03.
IEF375I  JOB /PS3375  / START 25051.1548
IEF376I  JOB /PS3375  / STOP  25051.1548 CPU   OMIN 16.95SEC SRB   OMIN 05.20SEC

```

1

```
00001 IDENTIFICATION DIVISION.
00002 PROGRAM-ID. TESTPS.
00003 AUTHOR. JAY MOSELEY.
00004 DATE-WRITTEN. FEBRUARY 20, 2025.
00005 DATE-COMPILED. FEB 20, 2025
00007 REMARKS. WRITE/READ PS DATASET ON 3375.
00008
00009 ENVIRONMENT DIVISION.
00010 CONFIGURATION SECTION.
00011 SOURCE-COMPUTER. IBM-370.
00012 OBJECT-COMPUTER. IBM-370.
00013
00014 INPUT-OUTPUT SECTION.
00015 FILE-CONTROL.
00016
00017     SELECT TEST-FILE
00018         ASSIGN TO UT-S-SYSUT1.
00019
00020 DATA DIVISION.
00021 FILE SECTION.
00022
00023 FD TEST-FILE
00024     LABEL RECORDS ARE STANDARD
00025     RECORDING MODE IS F
00026     RECORD CONTAINS 80 CHARACTERS
00027     BLOCK CONTAINS 0 RECORDS
00028     DATA RECORD IS TEST-RECORD.
00029 01 TEST-RECORD                PIC X(80).
00030
00031 WORKING-STORAGE SECTION.
00032
00033 77 RECORD-COUNTER              PIC 9(9)          VALUE 0.
00034 77 MAX-RECORD-COUNTER         PIC 9(9)          VALUE 5060880.
00035 77 PATTERN-INDEX              PIC S9(8) COMP   VALUE +1.
00036
00037 01 WS-RECORD.
00038     03 WSR-COUNTER             PIC 9(9).
00039     03 FILLER                  PIC X(1) VALUE SPACE.
00040     03 WSR-PATTERN             PIC X(70).
00041
00042 01 PATTERN-TABLE.
00043     03 FILLER                  PIC X(70) VALUE ALL 'A'.
00044     03 FILLER                  PIC X(70) VALUE ALL 'B'.
00045     03 FILLER                  PIC X(70) VALUE ALL 'C'.
00046     03 FILLER                  PIC X(70) VALUE ALL 'D'.
00047     03 FILLER                  PIC X(70) VALUE ALL 'E'.
00048     03 FILLER                  PIC X(70) VALUE ALL 'F'.
00049     03 FILLER                  PIC X(70) VALUE ALL 'G'.
00050     03 FILLER                  PIC X(70) VALUE ALL 'H'.
00051     03 FILLER                  PIC X(70) VALUE ALL 'I'.
00052     03 FILLER                  PIC X(70) VALUE ALL 'J'.
00053     03 FILLER                  PIC X(70) VALUE ALL 'K'.
00054     03 FILLER                  PIC X(70) VALUE ALL 'L'.
00055     03 FILLER                  PIC X(70) VALUE ALL 'M'.
```

```

00056          03  FILLER                PIC X(70) VALUE ALL 'N'.
00057          03  FILLER                PIC X(70) VALUE ALL 'O'.
00058          03  FILLER                PIC X(70) VALUE ALL 'P'.
00059          03  FILLER                PIC X(70) VALUE ALL 'Q'.
00060          03  FILLER                PIC X(70) VALUE ALL 'R'.
00061          03  FILLER                PIC X(70) VALUE ALL 'S'.
00062          03  FILLER                PIC X(70) VALUE ALL 'T'.
00063          03  FILLER                PIC X(70) VALUE ALL 'U'.
00064          03  FILLER                PIC X(70) VALUE ALL 'V'.
00065          03  FILLER                PIC X(70) VALUE ALL 'W'.
00066          03  FILLER                PIC X(70) VALUE ALL 'X'.
00067          03  FILLER                PIC X(70) VALUE ALL 'Y'.
00068          03  FILLER                PIC X(70) VALUE ALL 'Z'.
00069          01  FILLER                REDEFINES PATTERN-TABLE.
00070          03  PATTERN-DATA          OCCURS 26 TIMES
00071                                     PIC X(70).
00072
00073          PROCEDURE DIVISION.
00074
00075          010-INITIATE-WRITE.
00076              OPEN OUTPUT TEST-FILE.
00077
00078          020-PROCESS.
00079              PERFORM 070-WRITERECORD THRU 080-EXIT
00080                  VARYING RECORD-COUNTER
00081                  FROM 1 BY 1
00082                  UNTIL RECORD-COUNTER > MAX-RECORD-COUNTER.
00083
00084              DISPLAY MAX-RECORD-COUNTER ' RECORDS WRITTEN'
00085                  UPON SYSOUT.
00086
00087          030-TERMINATE-WRITE.
00088              CLOSE TEST-FILE.
00089
00090          040-INITIATE-READ.
00091              OPEN INPUT TEST-FILE.
00092              MOVE +1 TO PATTERN-INDEX.
00093
00094          050-PROCESS.
00095              PERFORM 090-READRECORD THRU 100-EXIT
00096                  VARYING RECORD-COUNTER
00097                  FROM 1 BY 1
00098                  UNTIL RECORD-COUNTER > MAX-RECORD-COUNTER.
00099
00100              DISPLAY MAX-RECORD-COUNTER ' RECORDS READ'
00101                  UPON SYSOUT.
00102
00103          060-TERMINATE-READ.
00104              CLOSE TEST-FILE.
00105              GOBACK.
00106          * ----- PROGRAM EXIT POINT
00107
00108          070-WRITERECORD.
00109              MOVE RECORD-COUNTER TO WSR-COUNTER.
00110              MOVE PATTERN-DATA (PATTERN-INDEX) TO WSR-PATTERN.
00111              ADD +1 TO PATTERN-INDEX.
00112              IF PATTERN-INDEX > +26 MOVE +1 TO PATTERN-INDEX.

```

```
00113         WRITE TEST-RECORD FROM WS-RECORD.
00114
00115     080-EXIT.
00116         EXIT.
00117 * ----- PERFORM EXIT POINT
00118
00119     090-READRECORD.
00120         READ TEST-FILE INTO WS-RECORD
00121         AT END
00122             DISPLAY 'UNEXPECTED END OF FILE' UPON SYSOUT
00123             GO TO 100-EXIT.
00124         IF (WSR-COUNTER NOT = RECORD-COUNTER) OR
00125             (PATTERN-DATA (PATTERN-INDEX) NOT = WSR-PATTERN)
00126             DISPLAY 'READ ERROR; RECORD=' TEST-RECORD UPON SYSOUT
00127             DISPLAY 'EXPECTED          ' RECORD-COUNTER
00128                 ' ' PATTERN-DATA (PATTERN-INDEX)
00129                 UPON SYSOUT.
00130 *     END-IF
00131         ADD +1 TO PATTERN-INDEX.
00132         IF PATTERN-INDEX > +26 MOVE +1 TO PATTERN-INDEX.
00133     100-EXIT.
00134         EXIT.
00135 * ----- PERFORM EXIT POINT
```

```
*STATISTICS*      SOURCE RECORDS =   135      DATA DIVISION STATEMENTS =   38      PROCEDURE DIVISION STATEMENTS =   27
*OPTIONS IN EFFECT*  SIZE = 2097152  BUF = 1048576  LINECNT = 57  SPACE1, FLAGW,  SEQ,  SOURCE
*OPTIONS IN EFFECT*  NODMAP, NOPMAP, NOCLIST,  SUPMAP, NOXREF,  LOAD, NODECK, APOST, NOTRUNC, NOLIB, NOVERB
*OPTIONS IN EFFECT*      ZWB
```

F64-LEVEL LINKAGE EDITOR OPTIONS SPECIFIED LIST,XREF,LET
DEFAULT OPTION(S) USED - SIZE=(65536,38912)

CROSS REFERENCE TABLE

CONTROL SECTION

NAME	ORIGIN	LENGTH
TESTPS	00	1068
ILBODSP0*	1068	700
ILBOSTP0*	1768	35

ENTRY

NAME	LOCATION	NAME	LOCATION	NAME	LOCATION	NAME	LOCATION
ILBOSTP1	177E						

LOCATION REFERS TO SYMBOL IN CONTROL SECTION

AE8	ILBOSTP0	ILBOSTP0
AF0	ILBOSTP1	ILBOSTP0

LOCATION REFERS TO SYMBOL IN CONTROL SECTION

AEC	ILBODSP0	ILBODSP0
-----	----------	----------

ENTRY ADDRESS 00

TOTAL LENGTH 17A0

***RUN DOES NOT EXIST BUT HAS BEEN ADDED TO DATA SET
AUTHORIZATION CODE IS 0.

005060880 RECORDS WRITTEN
005060880 RECORDS READ

PARM GRAPHICS(CHAIN(SN))

IDC0001I FUNCTION COMPLETED, HIGHEST CONDITION CODE WAS 0

```
/* SYSUT1=JAY01.TEST.PS */  
PRINT INFILE(SYSUT1) CHAR SKIP(5060830)
```


LISTING OF DATA SET -JAY01.TEST.PS

RECORD SEQUENCE NUMBER - 5060879

005060879 EEE

RECORD SEQUENCE NUMBER - 5060880

005060880 FF

IDC0005I NUMBER OF RECORDS PROCESSED WAS 50

IDC0001I FUNCTION COMPLETED, HIGHEST CONDITION CODE WAS 0

IDC0002I IDCAMS PROCESSING COMPLETE. MAXIMUM CONDITION CODE WAS 0